

REFERENCES

- Abdullah, A.B.M. 2013. Challenges of 21st Century: Global climate changes and jute based-development strategy of Bangladesh. Asiatic Society Bangladesh, Dhaka.
- Adeniji, O. T. and C. O. Aremu. 2007. Interrelationship among characters and path analysis for pod yield components in West African okra [*Abelmoschus caillei* (A. Chev.) Stevels]. J. Agron. 6(1): 162-166.
- Ahmed, S. S. and R. Khatun. 1997. Anatomical screening for selection of high yielding Tossa jute (*C. olitorius* L.). Bangladesh J. Pl. Breed. Genet. 10(1-2): 9-12.
- Ahmed, S. S., M. A. Muttlib and A. Ahmad. 1993. Genetic variability, heritability and genetic advance of some quantitative characters in tossa jute (*Corchorus olitorius* L.). Bangladesh J. Jute Fib. Res. 18(1-2); 103-108.
- Ahmed, S.S., M.A. Mattalib and A. Ahmed. 1994. Correlation between fibre yield and its components in tossa jute (*Corchorus olitorius* L.). Bangladesh J. Pl. Breed. Genet. 7: 13-16.
- Ahnert, D., M. Lee, D. F. Austin., C. Livini, W. Woodman, S.J. Openshaw, J.S.C. Smith., K. Porter and G. Dalton. 1996. Genetic diversity among elite sorghum inbred lines assessed with DNA markers and pedigree information. Crop Sci. 36:1385-1392.
- Akter, N. 2001. Morphological attribute and stem histology in relation to fibre yield and biomass of high land jute (*Corchorus* spp.). M.Sc. thesis. Dept. Genet. Plant Breed. BSMRAU. Salna, Gazipur-1703, Bangladesh.
- Akter, N., M. A. K. Mian, M. M. Islam, M. A. Alim and M. N. Islam. 2005. Estimation of genetic parameters, character association and path analysis in jute (*Corchorus olitorius* L.) germplasm. Bangladesh J. Pl. Breed. Genet. 18(1): 35-38.
- Alam, S. S. and A. N. M. R. B. Rahman. 2000. Karyotype analysis of three *Corchorus* species. Cytologia 65:443-446.
- Alam, M. J. 2009. Genetic divergence, variability, correlation and path analysis in white jute (*Corchorus capsularis* L.). M S Thesis. Dept. of Genetics and plant Breeding; Sher – E – Bangla Agril. Univ; Dhaka. p. 58.

- Alam, M. J., R. Khatun, M. S. Hossain, N. Pervin and M. E. A. Pramanik. 2011. Correlation and Path Analysis in White Jute Genotypes (*Corchorus capsularis* L.). Int. J. Sustain. Agril. Tech. 7(11): 7-11.
- Alam, S. and D. K. De. 1995. Combining ability from a five parent half diallel cross in *Corchorus olitorius* L. Indian J. Agril. Res., 29(4): 203-208.
- Ali, M. K. 1961. Response of jute varieties to photoperiodic treatments. Pakistan J. Sci. Res. 13:44-47.
- Ali, M. A. 1984. Correlation and regression studies between fibre yield and some anatomic characters in white jute. Bangladesh J. Jute Fib. Res., 9(1-2): 25-30.
- Ali, M. A. 1994. Genetic estimation of anatomical characters of white jute. Bangladesh J. Jute Fib. Res., 19(2): 43-49.
- Ali, M. A. 2011. Pedigree Selection for Grain Yield in Spring Wheat (*Triticum aestivum* L.) under Drought Stress Conditions. Asian J. Crop Sci., 3: 158-168.
- Anand, I. J. and D. S. Rawat 1984. Genetic diversity, combining ability and heterosis in brown mustard. Indian J. Genet., 44: 226-234.
- Anderson, E. 1957. A semi graphical method for the analysis of complex problems. proc. Math. Acad. Sci; Washington. 43: 923-927.
- Anuradha, T. and S. Suriyakumari 2002. Correlation and path coefficient analysis studies in F2 generation in mesta. Madras Agric. J., 89 (7-9): 517-518.
- Badenes, M. L., J. Martinez-Calvo and G. Llacer. 2000. Analysis of a germplasm collection of loquat (*Eriobotrya japonica* Lindl.). Euphytica. 114:187-194.
- Balzarini, M.S., B. Milligan and M.S. Kang. 2002. Best linear unbiased prediction: a mixed-model approach in multi-environment trials. In: Kang MS (ed.), Crop Improvement: challenges in the twenty-first century, Haworth Press, Inc., New York.
- Banerjee, R., M. K. Sinha, M. K. Rou and S. P. Banerjee. 1988. Correlation and path analysis of yield components in *Hibiscuss sabdariffa* L. Jute. bdev. J. 8(4): 15-17.

- Barbosa Neto J.F, M. E. Sorrells and G. Cisar. 1996. Prediction of heterosis in wheat using coefficient of parentage and RFLP based estimates of genetic relationship. *Genome* 39: 1142-1149.
- Basak, S. K. and S. Dana. 1971. Gene Effects and Heterosis in Jute. *Indian J. Genet. Plant. Breed.* 31: 480-485.
- Basu, G. and A.N. Roy. 2008. Blending of Jute with Different Natural Fibres. *J. Nat. Fibers.* 4: 13-29.
- Begum, H. A. and M. A. Sobhan. 1991. Genetic variability, heritability and correlation studies in *C. capsularis* L. *Bangladesh J. Jute Fib. Rees.* 16(1and2): 113-118.
- Benor S., S. Demissew, K. Mammer and F.R. Blattner. 2012. Genetic diversity and relationships in *Corchorus olitorius* (Malvaceae s.l.) inferred from molecular and morphological data. *Genet. Reso. Crop Evol.*,59(6): 1125-1146.
- Benor,S., F. R. Blattner, S. Demissew, and K. Hammer, 2010. Collection and ethnobotanical investigation of *Corchorus* species in Ethiopia: Potential leafy vegetables for dry regions. *Genet. Reso. Crop Evol.*, 57(2): 293-306,
- Bertan, I. 2005. Genetic distance as criterion for the choice of parents in wheat breeding programs (in Portuguese; English summary). M.Sc. diss. Universidade Federal de Pelotas.
- Bhajantri, C. M., U. V. Mummigatti and M. B. Doddamani. 2007. Correlation studies in Mesta genotypes. *Karnataka J. Agril. Sci.*, 20(2): 368-369.
- Bhattacharya, C., K. S. Karmakar and A. Bakshi. 2007. Study on genetic variability in capsularis jute at different population levels: A comparative study. *J. Interacademia*, 11(4): 393-399.
- Binodh, A.K., N. Manivannan and P.V. Varman. 2008. Character association and path analysis in sunflower. *Madras Agric. J.*, 95: 425-428.
- Biswas S. K., M. R. Debnath, M. Moniruzzaman, S. N. Islam and M. Z. Tareq. 2018. Genetic variability study of tossa jute (*Corchorus olitorius*) genotypes. *Int. J. Bus. Soc. Sci. Res.*,6(3): 52-55.

- Biswas S. K., M. R. Debnath, M. T. Rahman, A. B. M. Z. Hoque and M. Z. Tareq. 2018. Heritability, character association and genetic advance in seven agronomic and yield related characters in tossa jute (*Corchorus olitorius*) Genotypes. Int. J. Bus. Soc. Sci. Res., 6(3): 62-66.
- Biswas, S. K. 1984. Genetic assessment of chemical mutagen population. Ph.D. Thesis Bidhan Chandra Krishi Viswabidyalaya, Kalyani, West Bengal.
- Biswas, S. K., S. N. Islam, M. D. H. Sarker, M. Moniruzzaman and M. Z. Tareq. 2018. Genetic variability, heritability and genetic advance for yield related characters of tossa jute (*Corchorus olitorius*) genotypes. J. Bio. Sci. Agri. Res., 17(01): 1416-1421.
- Brandolini, A. 1969. European races of maize. Annual Corn Sorghum Research Conference Proceedings 24: 36-48.
- Cantini, C., A. Cimato and G. Sani. 1999. Morphological evaluation of olive germplasm present in Tuscany region. Euphytica 109: 173–181
- Cao, D. and J.H. Orad. 1997. Pedigree and RAPD-based DNA analysis of commercial U.S. rice cultivars. Crop Sci. 37:1630-1635.
- Chaudhury, S. K. 1984. Studies on the genetic variability in jute and its utilization for higher yield. Jute Agricultural Research Institute, Annual Report- 1984 JB 7, 20: 11.
- Chaudhury, S. K. and B. C. Sasmal. 1992. Heterosis and combining ability for fibre strength in tossa jute (*Corchorus olitorius* L.). Bangladesh J. Bot. 21(2): 213-218.
- Chaudhury, S. K., L. K. Das, B. K. Samanta. 1999. Inheritance of stem weevil (*Apion corchori* Marshll) resistance in tossa jute. Envir. Ecol., 17(1): 5-7.
- Chaudhury, S. K., M. K. G. Roy and M. K. Sinha. 1984. Genetic variability and heritability studies in tossa jute germplasm. Jute Dev. J. 5(1): 36-37.
- Chaudhury, S. K., M. K. Sinha and D. P. Singh. 1981. Path analysis in tossa jute. Indian J. Agric. Sci., 51(11): 772-775.
- Chavan, A. A. and Y. S. Nerkar. 1994. Heterosis and combining ability studies for grain yield and its components in Pearl millet. J. Maharashtra agricultural universities. 19(1): 58-61.

- Choudhury, S. D., A. J. Mia. 1962. Species crosses in the genus *Corchorus* (jute plant). *Euphytica*. 11:61-64.
- Cheres, M. T. and S. Knapp. 1998. Ancestral origins and genetic diversity of cultivated sunflower: co ancestry analysis of public germplasm. *Crop Sci*. 38: 1476-1482.
- Choo, T. M. E. Reinbergs and S. J. Park. 1982. Comparison of frequency distributions of doubled haploid and single seed descent lines in barley. *Theo.Appl. Genet.*,61(3): 215-218.
- Coarce, Y., R. Gallego and E. Ferre. 1996. A comparative analysis of the genetic relationships between rye cultivars using RFLP and RAPD markers. *Euphytica* 88: 107-115.
- Cruz, C.D. and A.J. Regazzi. 1997. Biometrical models applied to plant breeding (in Portuguese). Viçosa: Editora UFV, pp 390.
- Dahal, B. 1991. Genetic variability, correlation and path analysis studies on jute (*Corchorus olitorius* L.). M. S.Thesis, Rajendra Agricultural University, Bihar, Pusa, India.
- Dempsey, J.M. 1975. Fiber crops. The Univ. Presses of Florida, Gainesville.
- Dar, Z. A., Wani, S. A. and Wani, M. A. 2016. Heterosis and combining ability analysis for seed yield and its attributes in *Brassica rapa* Brown sarson. *J Oilseed Brass.*2: 21-28.
- Das B. B. and S. N. Maiti.1998. Jute (*Corchorus species*) and allied fibres research in India. *Indian J. Agril. Sci.*,68(8): 484-493.
- Das, A. and D. Kumar. 2012. Genetic evaluation and characterization of jute (*Corchorus* spp. L.) genotypes using DUS parameters. *SAARC J. Agri.*, 10(2): 147-153.
- Das, A. and D. Kumar. 2016. Genetic Divergence and Character Association for Yield and Quality Attributing Characters in Tossa Jute (*Corchorus olitorius* L.). *Elect. J. Pl. Breed.*, 7(3): 529-537.
- Das, N. R. 1968. Estimation of dry fibre of jute in the standing crop based on simple biometric observations. *Indian J. Agron.*, 13: 258-261.

- Das, P. K. and Gupta, T. D. 1984. Multivariate analysis in black gram. Indian J. Genet. 44(2): 243-247.
- Das, U. C. L. 1987. Genetic evaluation of germplasm under indo- Nepal Terai soil regions. Ph.D. Thesis, Bidhan Chandra Krishi Viswabidyalaya. Kalyani, West Bengal.
- Das, U. C. L. and S. C. Rakshit. 1988. Character association and path analysis in *olitorius* jute. Expt. Genet. 4(2): 48-52.
- Dastidar, K. K. G., K. K. Agarwalla and P. Roychowdhury. 1993. Genetic variability and association of component characters for seed yield in *olitorius* jute. The Indian J. Genet. Pl. Breed., 53(2): 157-160.
- Datta, R.M.1985. Chromosome studies in the genus *Corchorus*. Ind. Agriculturalist, 2, 120-2.
- Datta, K., T. F. Franke, T. O. Chan, A. Makris, S. Yang, D. R. Kaplan, D. K. Morrison, E. A. Golemis, and P. N. Tsichlis. (1995). AH/PH domain mediated interaction between Akt molecules and its potential role in Akt regulation. Mol. Cell. Biol. 15, 2304-2310.
- De, D. K. and K. K. G. Dastidar. 1991. Combining ability analysis for seed characters in jute (*Corchorus olitorius* L.). Bangladesh J. Bot. 20(1): 17-20.
- De, R. N. 1995. Jute and the environment. International Jute Organization, Banani, Dhaka.
- Denton, O.A. and C.C. Nwangburuka. 2011. Heritability, genetic advance and character association in six yield related characters of *Solanum anguivi*. Asian J. Agril. Res., 5: 201-207.
- Denton, O. A. and C. C. Nwangburuka.2012. Morphological diversity among *Corchorus olitorius* accessions based on single linkage cluster analysis and principal component analysis. Jordan J. Biol. Sci.,5(3): 191-196.
- Deshmukh V. J. 2010. Genetic diversity in jute (*Corchorus olitorius* L.). MS Thesis of Department of Agricultural Botany, Mahatma Phule Krishi Vidyapeeth College of Agriculture, Pune – 411 005. Maharashtra, India.
- Devi, L. S., A. Das, M. K. Pandey and C. R. Kole. 2004. Studies on genetic variability and divergence in rice: Extended summery. Int. Symp. on rice: From Green Revolution to Gene Revolution. Oct. 04 – 06, DRR. Hydra bad, India. p. 94.

- Digby, P., N. Galway and P. Lane. 1989. GENESTAT 5: A second course. Oxford Science Publication. Oxford. P. 102 – 108.
- Diniz Filho, J.A. 2000. Comparative phylogenetic methods. Ribeirão Preto: Holos
- Dudley, J. W. and R. H. Moll. 1969. Heritability and genetic advance in jute. pl. Breed. Crop Sci. 9: 257 – 261.
- Dutta, A. N., S. K. Srivastava and R. A. Yadav. 1973. Components of variance for fiber yield in jute-cum-mesta varietal tests. Indian. Agric. 17(3): 257-261.
- Echekwu, C. A. and F. A. Showemimo. 2004. Genetic, phenotypic and environmental variances and character association in kenaf. African Crop Sci. J., 12(4): 321-326.
- Eunus, A. M. 1968. Selection breeding in jute. J. Herit. 59: 80 – 81.
- Falconer, D. S. and T. F. C. Mackay. 1996. Introduction to Quantitative Genetics (Harlow, UK, Longman,).
- FAOSTAT. 2019. (Query page requires interactive entry in four sections: "Countries"—Select All; "Elements"—Production Quantity; "Items"—Jute; "Years"—2019). Food and Agricultural Organization of United Nations: Economic And Social Department: The Statistical Division. 2019-02-13. Retrieved 2019-02-23.
- Fehr, W. R. 1993. Principles of Cultivar Development (Vol. 1). MacMillan Publ Co, New York, USA.
- Flachenecker, C., M. Frisch, K.C. Falke. and A.E. Melchinger. 2006. Trends in population parameters and best linear unbiased prediction of progeny performance in a European F2 maize population under modified recurrent full-sib selection. Theo. Appl. Genet. 112: 483-491.
- Gandin, C.L. 1982. Analysis of segregating population and combining ability effects from different genotypes on the main characters of importance in wheat (in Portuguese; English summary). M.Sc. diss. UFRGS
- Gao, A. P., Y. C. Gong and X. Q. Chen. 1994. Studies on fibre fineness in jute. Acta Agronomica Sinica. 20(6): 727-732.

- Ghodke, M. K. and P. B. Wadikar. 2011. Estimates of genetic variation and heritability for yield and its attributes in kenaf (*Hibiscus cannabinus* L.). Res. J. Agric. Sci., 2(3): 737-739.
- Ghosdastidar, K. K. and P. K. Bhaduri. 1983. Genetic variability and association of characters at different doses of nitrogen and sowing dates in *capsularis* jute. Indian J. Genet. 43: 143-148.
- Ghosdastidar, K. K. and P. K. Das. 1984. Selection breeding in *olitorius* jute. Prespective in Cytology and Genetics (ed. Manna, G. K. and U. Sinha) 4: 563-567.
- Ghosh T. 1983. Plant Production and Protection. Paper No.51.219pp FAO, Rome.
- Ghosh R. K., A.Wongkaew, T.Sreewongchai, S. Nakasathien and C. Phumichai. 2014. Assessment of genetic diversity and population structure in jute (*Corchorus* spp.) using simple sequence repeat (SSR) and amplified fragment length polymorphism (AFLP) markers. Kasetsart J. Nat. Sci. 48:83-94.
- Ghosh R. K., T. Sreewongchai, S. Nakasathien and C. Phumichai. 2013. Phenotypic variation and the relationships among jute (*Corchorus species*) genotypes using morpho-agronomic traits and multivariate analysis. Australian J. Crop Sci., 7(6):830-842.
- Ghosh S., K. Meena, M.K. Sinha and P.G. Karmakar. 2017. Genetic Diversity in *Corchorus olitorius* Genotypes Using Jute SSRs. Proceedings of the National Academy of Sciences, India Section B: Biol. Sci., 87(3): 917-926.
- Ghosh T. K., S. N. Islam, S. Shahanaz, S. K. Biswas and M. Z. Tareq. 2018. Genetic variability and selection index evaluation of some selected tomato lines for their yield and yield components. Bangladesh J. Env. Sci. 34: 73-78.
- Ghosh, B.K. and A. Jethi. 2013. Growth and instability in world jute production: A disaggregated analysis. Int. J. Elect. Common. Technol. 4: 191-195.
- Ghosh, K. K. 2003. Genetic variability and association of leaf characters with fibre yield and its components in *Capsularis* jute (*Corchorus capsularis* L.). J. Interacad. 7: 386-395.
- Ghosh, S. N., D. Paria and S. L. Basak. 1986. Studies on jute (*Corchorus olitorius* L.) isogenic lines for leaf shape (in India). Bangladesh J. Bot. 15(1): 95-100.

- Ghose, R. L. M., B. D. Gupta. 1945. Floral biology, anthesis and natural crossing in jute. Indian J Genet. 4:80-84.
- Golakia, E. B. and V. G. Makne. 1992. D2 Analysis in Virginia runner groundnut genotypes. India J. Genet. 55(3): 252-256.
- Griffing, B. 1956. Concept of general and specific combining ability in relation to diallel crossing system. Aust. J. Bio. Sci. 6(4): 463-493.
- Gupta, D., P.K.Sahu and R. Banerjee. 2009. Forecasting jute production in major contributing countries in the world. J. Nat. Fibers. 6: 127-37.
- Gupta, S. K. and A. D. Das. 1977. Correlation and regression between fibre yield and its white jute (*Corchorus capsularis* L.). Indian J. Agril. Sci. 47(7): 327 – 329.
- Haddad, N.I. and F.J. Muehlbauer, 1981. Comparison of random bulk population and single-seed-descent methods for lentil breeding. Euphytica 30: 643–651.
- Haque S., S. Begum, R.H. Sarker and H. Khan. 2007. Determining Genetic Diversity of Some Jute Varieties and Accessions Using RAPD Markers. Plant Tissue Cult. and Biotech. 17(2): 183-191.
- Hari Satyanarayana, N. V. Visalakshmi, K.V. Ramana Murthy, K. Madhu Kumar, J. Jagannadham, A. Upendra Rao and N. Venugopala Rao. 2017. Genetic Variability, Correlation and Path Analysis for Fibre Yield and Its Components in Roselle (*Hibiscus sabdariffa* L.) in North Coastal Zone of Andhra Pradesh, India. Int. J. Curr. Microbiol. App. Sci. 6(10): 2647-2656.
- Hari Satyanarayana, N., V. Visalakshmi, K.V. Ramana Murthy, K. Madhu Kumar, J. Jagannadham, A. Upendra Rao and N. Venugopala Rao. 2017. Character Association and Path Analysis for Seed Yield and its Components in Roselle (*Hibiscus sabdariffa* L.) in North Coastal Zone of Andhra Pradesh, India. Int.J.Curr. Microbiol. App. Sci. 6(7): 372-378.
- Hill, W. G., M. E. Goddard and P. M.Visscher. 2008. Data and theory point to mainly additive genetic variance for complex traits. PLoS genetics, 4(2): e1000008.
- Hossain, M. and F. Hossain. 2002. Breeding for photo-period insensitivity and fibre yield in capsularis jute (*Corchorus olitorius* L.) Indian J. Genet. 62(3): 240-241.

- Hossain, M. M., M. Roy, M. M. A. Ali, M. Sharmin and S. K. Biswas. 2014. Genetic parameters and selection of yield enhancing characters in upland cotton (*Gossypium hirsutum* L.). Intl. J. Bio. Res. 16(6): 1-12.
- Husain, M. 1988. Speciation and distribution of *Corchorus* and *Hibiscus*. The global scenario, Proc. of the IJO/ BJRI training course on Collection Conservation and Characterization of jute and kenaf Germplasm, 10 -19 Oct. / 1988. Dhaka.
- Hussain, M., M. S. Islam, M. A. Hossain, A. Haque and N. Akhter. 1999. Genetic divergence and hybrid performance in tossa jute (*Corchorus olitorius* L.). J. Agril. Edu. Tech. 2(2): 149-152.
- Ialam, M. S. and S. Ahmad. 2003. Genetic variability, character association in (*Corchorus olitorius* L.). Bangladesh J. Life Sci. 15(2): 133-136.
- Ibrahim, E. B., A. W. H. Abdalla, E. A. Ibrahim and A. M. E. Naim. 2013. Variability in some roselle (*Hibiscus sabdariffa* L.) genotypes for yield and its attributes. International J. Agril. Forest. 3(7): 261-266.
- Ibrahim, M. M. and R. M. Hussein. 2006. Variability, heritability and genetic advance in some genotypes of roselle (*Hibiscus sabdariffa* L.). World J. Agril. Sci., 2(3): 340-345.
- International Monetary. 2015. Bangladesh Poverty Reduction Strategy Paper; IMF Country Report No. 04/410; International Monetary Fund: Washington, DC, USA.
- Islam, M. R. 1995. Genetic divergence in groundnut. MS Thesis submitted to the Institute of Postgraduate Studies in Agriculture (IPSA), Salna, Gazipur.
- Islam, M. R. 1996. Genetic divergence in *Corchorus olitorius* L. (M S Thesis) Inst. Postgraduate Stud. Agric. (IPSA), Salna, Gazipur, Bangladesh. pp. 86.
- Islam, M. R., M. Rana, M. Hoque and M.K. Ahmed. 2013. Causes and consequences of labour unrest in jute mills of Khulna division in Bangladesh: An empirical study. Int. J. Business Management Rev., 1: 57-68.
- Islam, M. R., M. M. Islam, N. Akter and R. K. Ghosh. 2002. Genetic variability and performance of Tossa jute (*Corchorus olitorius* L.). Pakistan J. Biol. Sci. 4: 1418-1421.

- Islam, M.R., M.M.Islam, N. Akter and R.K. Ghosh. 2002. Genetic variability and performance of tossa jute. *Pakistan J. Biol. Sci.* 5(7): 744-745.
- Islam, M.S., Uddin, M.N., Haque, M.M. and M. N. Islam. 2001. Path coefficient analysis for some fibre yield related traits in white jute (*Corchorus capsularis* L.). *Pakistan J. Biol. Sci.* 4(1): 47-49.
- Jana, M. K. 1972. Genetic analysis of some quantitative traits in jute. Ph.D. Thesis, Bidhan Chandra Krishi Viswabidyalaya, West Bengal.
- Javaid, A., S. Masood and N.M. Minhas. 2001. Analysis of combining ability in wheat (*Triticum aestivum* L.) using F₂ generation. *Pakistan J. Biol. Sci.* 4: 1303-1305.
- Jinks, J. L. 1955. A survey of the genetical basis of heterosis in a variety of diallel crosses. *Heredity*, 9: 223-238.
- Jinks, J. L. and R. M. Jones. 1958. Estimation of component of heterosis. *Genet.* 43: 128-138.
- Johnson, H.W., H.F. Robinson and R.E. Comstock. 1955. Genotypic and phenotypic correlations in soybeans and their implications in selection. *Agron. J.* 47: 477-483.
- Joshua, D.C. and R.G. Thakare. 1984. Inheritance of induced mutant characters in jute (*Corchorus capsularis* L.). *Current Sci.*, 53(1): 697-700.
- Joseph, J. 1974. Jute Breeding in India. Achievement and possibilities. *Indian J. Genet.* 34: 919-924.
- Julia, C. C., D. L. E. Waters, R. H. Wood and T. J. Rose. 2016. Morphological characterization of Australian exsitu wild rice accessions and potential for identifying novel sources of tolerance to phosphorus deficiency. *Genet. Res. Crop Evol.* 63(2): 327-337.
- Katiar, R. P. and Singh, A. K. 1990. Genetic divergence for yield contributing traits and protein contents in fababean. *Indian J. Genet.* 5(4): 310-313.
- Katiyar, R., P. Misra, A. N. Singh and Y. S. Chauhan. 1974. Genetic variability and heritability and genetic advance of yield and its components in Indian mustard. *Indian J. Genet. Pl. Breed.* 17: 318-328.
- Khandakar, A. L., S. Begum and A. Hossain. 1988. Correlation and distribution of assimilates to different sinks during growth of jute. *Bangladesh J. Agric.* (13): 61- 64.

- Khatun, R. and M. A. Sobhan. 1992. Genetic variability, character correlation and path coefficient analysis in tossa jute (*Corchorus olitorius* L.). Bangladesh J. Agri. 17: 15-22.
- Khatun, R. and Sobhan, M.A. 1992. Genetic variability, correlation and path analysis in *olitorius* jute. Egpticen Genet. 4(1): 48-52.
- Khatun, R., R. H. Sarker and M. A. Sobhan. 2010. Combining ability for yield and yield contributing characters of white jute (*Corchorus capsularis* L.) Bangladesh J. Bot. 39(1): 79-85.
- Kinabo,J., A. P. Mnkeni, C. N. M. Nyaruhucha, J. Msuya, A. Haug and J. Ishengoma.2006. Feeding frequency and nutrient content of foods commonly consumed in the Iringa and Morogoro regions in Tanzania. International J. Food Sci.Nutri. 57(1-2): 9–17.
- Knott, D. R. and J. Kumar. 1975. Comparison of early generation yield testing and a single seed descent procedure in wheat breeding. Crop Sci. 15:295-299.
- Krebs,G. 2001. “Tiliaceae,” in Mansfield’s Encyclopedia of Agricultural and Horticultural Crops, P. Hanelt, Ed.,Institute of Plant Genetics and Crop Plant Research, vol. 3, pp. 1560-1567.
- Kumar, A. A., S. B. Choudhary , H. K. Sharma , R. T. Maruthi, J. Jatothu, J. Mitra and P. G. Karmakar. 2018. Combining ability studies for fibre yield and its attributing traits in tossa jute (*Corchorus olitorius* L.). The Bioscan 13(2): 703-706.
- Kumar, V., A. Prokash and A. K. Kashyapan. 2018. Combining ability and heterosis following line x tester analysis for fiber anatomical characters in cultivated jute. Plant Archives, 18(2): 2042-2046.
- Kumar,A. A., H. K. Sharma, S. B. Choudhary, R. T. Maruthi, J. Jawahar Lal, J. Mitra and P.G. Karmakar.2016. Combining ability and heterosis study for fibre yield and yield attributing characters in tossa jute (*Corchorus olitorius* L). Vegetos 29:3.
- Kumar, D. and S. M. Palve. 1995. Combining ability studies for yield and some of its attributes in while jute (*Corchorus olitorius* L.). Indian J. Genet; 55(3): 260 -263.
- Kumar, D. and S. M. Palve. 2002. Selection for combining premature flowering resistance with high fibre yield in tossa jute. Indian J. Genet., 62(2): 172-174.

- Kumar, D., A. Das and S. Shil. 2011. Breeding for combining yield and fibre quality in white jute (*Corchorus capsularis* L.) accessions. J. Trop. Agril., 49 (1-2): 72-77.
- Kumar, D., D. Gupta and A. Saha. 2002. Choice of parents and hybrids from line X tester crosses for improving fibre yield in Tossa jute (*Corchorus olitorius* L.). J. Interacademia, 6(3): 406-411.
- Kumar, K., Y. Prasad, S. B. Mishra, S. S. Pandey, and R. Kumar. 2013. Study on genetic variability, correlation and panalysis with grain yield and yield attributing trait in green gram [*vigna radiata* (L) Wilczek]. Bioscan. 8(4): 1551-1555.
- Kumar, V., P. K. Singh, A. S. Dudhane, D. K. DE and P. Satya. 2014. Anatomical and morphological characteristics of nine jute genotypes. J. Crop Weed, 10(2):334-339.
- Kundu, B. C. 1951. Origin of jute. Indian J. Genet. And pl. Breed; II: 95-99. (Special Symposium Number).
- Ling, C. L. 1972. The correlation between the anatomy of the jute fibre cell and retted fibre quality. J. Taiwan Agric. Res. 21(2): 103-117.
- Loumerem, M. and A. Alercia. 2016. Descriptors for jute (*Corchorus olitorius* L.). Genet. Reso. Crop Evol, 63(7): 1103-1111.
- Lorencetti, C., F.I.F. Carvalho., G. Benin., V. Marchioro, A.C. Oliveira., J.A.G. da Silva., I. Hartwig., D.A.M. Schmidt and I.P. Valério. 2005. Combining ability and heterosis in diallelic oat cross (in Portuguese; English summary). Rev. Bras. Agrociên. 11: 143-148.
- Lstiburek, M., T.J. Mullin, T.F.C. Mackay., D. Huber and B. Li. 2005. Positive assortative mating with family size as a function of predicted parental breeding values. Genet., 171: 1311-1320.
- Mackie, G. 2005. Prospects for Traditional Jute Products. J. Natu. Fibers, 2(2): 105-110.
- Mahalanobis, P. C. 1928. A statistic study at Chinese head moaurement. Man in India. 8; 32-64.
- Mahalanobis, P. C. 1936. On the generalized distance in statistics. Proc. Natt. Inst. Sci. India; 2: 49-55.

- Mahdy, E.E., E.A. Hassaballa, A.A. Mohamed and A. M. Aly. 2012. Pedigree selection for lint yield at late planting in Egyptian cotton (*G. barbadense* L.). *Genet.*, 26:277-284.
- Mahtabuddin, M., M. Ali, and G. Morshed. (1988). Jute seed production technology of jute and kenaf. Paper presented at 13th Annual Science Conference, Engineers' Institute, Dhaka. Organized by Bangladesh Association for the Advancement of Science, January 1988.
- Maiti, R. K. and K. Chakravarty. 1977. A comparative study of yield component and quality of common Indian bast fiber. *Econ. Bot.* 31: 55-60.
- Malecot A. 1949. The mathematics of inheritance (in French), Masson and Cie, Paris.
- Mandal, B. D., N. Chandra, M. K. Majumder and S. P. Banerjee. 1980. Pathway to fibre yield in jute (*Corchorus olitorius* L.). *Genet. Polonica.* 21(4): 455-460.
- Manjunatha, S. and R. A. sheriff. 1991. Variability, correlation and divergence studies in kenaf (*Hibiscus cannabinus* L.). Golden jubilee symposium of genetic Research and education, Vol. II. pp. 569.
- Masood, M.S. and W.E. Kronstad. 2000. Combining ability analysis over various generations in a diallel cross of bread wheat. *Pakistan J. Agric. Res.* 16: 1-4.
- Mather, K. 1955. The genetical basis of heterosis. *Proc. Royal. Soc; London* 144: 145-159.
- Mian, M. A. K., T. Hossain, K. Saifudddin and M. W. Mia. 1991. Genetic divergence in some germplasm of pea. (*Pisum sativum* L.) *Ann. Bangladesh Agric.* 1(2): 101-103.
- Milligan, S.B., M. Balzarini and W.H.White. 2003. Broad-sense heritabilities, genetic correlations, and selection indices for sugarcane borer resistance and their relation to yield loss. *Crop Sci.* 43: 1729-1735.
- Ministry of Textiles and Jute. Draft National Jute Policy 2014 (in Bangla); Ministry of Textiles and Jute, Government of Bangladesh: Dhaka, Bangladesh, 2015. Available online: <https://www.bangladeshtradeportal.gov.bd/index.php?r=site/display&id=211> (accessed on 29 March 2017).
- Mir, R. R., S. Rustgi, S. Sharma, R. Singh, A. Goyal, J. Kumar, A. Gaur, A. K. Tyagi, H. Khan, M. K. Sinha, H. S. Balyan and P. K. Gupta. 2008. A preliminary genetic

- analysis of fibre traits and the use of new genomic SSRs for genetic diversity in jute. *Euphytica*. 161(3): 413-427.
- Moll, R.H. and C.W. Stuber. 1974. Quantitative genetics-empirical results to plant breeding. *Adv. Agron. J.* 26: 277-313.
- Mondal, H. A. and B. G. Sasmal. 2003. Combining ability analysis to seed yield and its component characters in tossa jute (*Corchorus olitorius* L.). *J. Interacademia*. 7(1): 7 – 10.
- Mostofa, M. G., L. Rahman and M. M. Hussain. 2012. Combining ability for yield and yield contributing characters in kenaf (*Hibiscus cannabinus* L.) *Bangladesh J. Pl. Breed. Genet.* 24(1): 1-6.
- Mostofa, M. G., M. R. Islam, A. T. M. M. Alam, S. M. M. Ali and M. A. F. Mollah. 2002. Genetic variability, heritability and correlation studies in kenaf (*Hibiscus cannabinus* L.). *Online J. Biol. Sci.* 2: 442-444.
- Muhammad, A. 2002. Closure of Adamjee Jute Mills: Ominous Sign. *Econom. Political Wkly*. 37: 3895-3897.
- Munguatosha, N., T. Stoilova, T. Feyissa and P.A. Ndakidemi. 2017. Characterization of Morphological Diversity of Jute Mallow (*Corchorus* spp.). *Int. J. Agron.* Volume 2017. Article ID 6460498, 12 pages.
- Murtadha, S., O. J. Ariyo and O. B. Kehinde. 2004. Character association of seed yield and its components in okra [*Abelmoschus esculentus* (L.) Moench]. *Ogun J. Agril. Sci.*, 3(1): 222-233.
- Murty, B. R. and I. J. Anand. 1966. Combining ability and genetic diversity in some varieties in *Linum usitatissimum*. *Indian J. Genet.* 26: 21-36.
- Murty, B. R. and V. Arunachalam. 1966. The nature of genetic divergence in relation to breeding system in crop plants. *Indian J. Genet.* 26: 188-198.
- Nagaraja, T. E., K. R. Ajit and B. S. Golasangi. 2009. Genetic variability, correlation and path analysis in Linseed. *J. Maharashtra Agril. Uni.* 34(3): 282-285.

- Nargis, A. 2009. Genetic analysis of fibre and seed yield in tossa jute (*Corchorus olitorius* L.) PhD. Thesis. Dept. of Genetics and Plant Breeding. Bangladesh Agricultural University. Mymensingh. p. 76.
- Nayak, B. K. and B. Baisakh. 2008. Character association and path analysis in tossa jute. *Envi. Ecol.* 26(1A): 361-363.
- Nei, M. 1960. Studies on the application of biometrical genetics to plant breeding, Mem, coll. Agric. Kyoto Univ. 82: 1.
- NIHORT. 1986. National Horticultural Research Institute, Advances in Fruit and Vegetable Research at NIHORT (1976-1986): A Commemorative Publication to Mark the 10th Anniversary of the National Horticultural Research Institute, Ibadan, Nigeria.
- Nwangburuka, C. C. and O. A. Denton. 2012. Heritability, character association and genetic advance in six agronomic and yield related characters in leaf *Corchorus olitorius*. *International J. Agril. Res.*, 7(7): 367-375.
- Nwangburuka, C. C., O. A. Denton, O. B. Kehinde, D. K. Ojo and A. R. Popoola. 2012. Genetic variability and heritability in cultivated okra [*Abelmoschus esculentus* (L.) Moench]. *Span J. Agril. Res.* 10(1): 123-129.
- Nyadanu, D. and S. T. Lowor, 2014. Promoting competitiveness of neglected and underutilized crop species: comparative analysis of nutritional composition of indigenous and exotic leafy and fruit vegetables in Ghana. *Genet. Reso. Crop Evol.*, 62(1): 131-140.
- Nyadanu, D., R. Adu Amoah and A. O. Kwarteng. 2016. Domestication of jute mallow (*Corchorus olitorius* L.): ethnobotany, production constraints and phenomics of local cultivars in Ghana. *Genet. Resou. Crop Evol.* 63: 1-17.
- Oliveira, A.C. 1998. Building plant genetic maps (in Portuguese). In: Milach SCK (ed.) *DNA Markers in Plants*, Porto Alegre, Editora da UFRGS.
- Osawaru, M., M. Ogwu, A. Chime and A. Amorighoye. 2012. Morphological Evaluation and Protein Profiling of Three Accessions of Nigerian *Corchorus* Linn. Species. *Bayero J. Pure Appl. Sci.* 5(1): 26-32.

- Palit, P., B. C. Sasmal and A. C. Bhattacharyya. 1996. Germplasm diversity and estimate of genetic advance of four morpho-physiological traits in a world collection of jute. *Euphytica*. 90(1): 49-58.
- Palve, S. M. and D. Kumar. 1994. Genetic analysis for fibre strength in tossa jute (*Corchorus olitorius* L.). *Agric. Sci. Dig. Kar.* 14(2): 83-86.
- Palve, S. M. and K. Sinha. 2005. Genetic variation and interrelationships among fibre yield attributes in secondary gene pool of *Corchorus* spp. *SABRAO J. Breed. Genet.* 37(1): 55-64.
- Palve, S. M. and M. K. Sinha. 2005. Genetic variation and interrelationships among fibre yield attributes in secondary genepool of *Corchorus* spp. *SABRAO J. Breed. Genet.*, 37(1): 55-64.
- Pandit, N. C., K. K. Goswami and D. Kumar. 1997. Genetic divergence for infestation of chrysomelid beetle (*Nisotra orbiculata*) in kenaf (*Hibiscus cannabinus* L.). *Indian J. Agril. Sci.* 67(7): 291-292.
- Patel, G. I. and R. M. Datta. 1960. Inter-specific hybridization between *Corchorus olitorius* and *C. capsularis* and the cytogenetic basis of incompatibility between them. *Euphytica*. 9: 89-110.
- Paul, N. K. and A. M. Eunos. 1975. Heterosis and combining ability in jute (*Corchorus olitorius* L.). *Bangladesh J. Sci. Industri. Res.* 10(3-4): 332-338.
- Paul, N. K. and A. M. Eunos. 1976. Correlation studies in jute (*Corchorus olitorius* L.). *Bangladesh J. Jute Fib. Res.* 1: 8-15.
- Paul, N. K., O. I. Joarder and A. M. Eunos. 1977. Gene action, heterosis and combining ability for some quantitative characters of jute (*Corchorus olitorius* L.). *Bangladesh Acad. Sci.* 1: 43-52.
- Peeters, J. P., and J. A. Martinelli. 1989. Hierarchical cluster analysis as a tool to manage variation in germplasm collections. *Theor. Appl. Genet.* 78:42-48.

- Peratoner, G., S. Seling, C. Klotz, C. Florian, U. Figl and A.O. Schmitt. 2016. Variation of agronomic and qualitative traits and local adaptation of mountain landraces of winter rye (*Secale cereale* L.) from Val Venosta/Vinschgau (South Tyrol). *Genet. Reso. Crop Evol.*, 63(2): 261–273.
- Perkins, J.M. and J.L. Jinks. 1968. Environmental and genotypeenvironmental components of variability. III. Multiple lines and crosses. *Heredity*. 23: 339-356.
- Pervin, N. and G.K. Haque 2012. Path coefficient analysis for fibre yield related traits in Deshi jute (*Corchorus capsularis* L.). *IRJALS*. 1(3): 72-77.
- Piepho, H.P. and E. R. Williams. 2006. A comparison of experimental designs for selection in breeding trials with nested treatment structure. *Theo. Appl. Genet.* 113: 1505-1513.
- Planning Commission. The Fifth Five-Year Plan (1997–2002); Ministry of Planning, Government of Bangladesh: Dhaka, Bangladesh, 1998.
- Planning Commission. The Sixth Five-Year Plan (2011–2015); Ministry of Planning, Government of Bangladesh: Dhaka, Bangladesh, 2011.
- Pullibai, P., R. Sultana, P. C. Rao and S. V. Rao. 2005. Character association and path analysis in Roselle hemp (*Hibiscus sabdariffa* L.). *The Andhra Agril. J.* 52(3-4):403-406.
- Rahman, A. and M. Hossaim. 1982. Relationship between total yield of fibre and some anatomical characters of *C. capsularis* L. *SABRAO J. Breed. Genet.*, 14(1): 41-45.
- Rahman, M. A. 1968. Inheritance of fibre yield in twelve parental diallel crosses of *Corchorus olitorius*. *Proc. Pak. Acad. Sci.* 5: 51-56.
- Rahman, M.M. 2001. Policy and prospect of jute and allied fibers with special reference to Bangladesh. Bangladesh Institute of Labor Studies.
- Rahman, S. 2009. Whether crop diversification is a desired strategy for agricultural growth in Bangladesh? *Food Policy*. 34: 340-349.
- Rahman, S. 2010. Six decades of agricultural land use change in Bangladesh: Effects on crop diversity, productivity, food availability and the environment, 1948–2006. *Singap. J. Trop. Geogr.* 31: 254-269.

- Rani, Ch., P. V. Rama Kumar, C. Panduranga Rao and V. Srinivasa Rao. 2006. Character association, path analysis and selection indices in roselle (*Hibiscus sabdariffa* L.). The Andhra Agril. J. 53 (3-4): 157-159.
- Rao, C. R. 1952. Advance statistical methods in biometrical research. John Wiley and sons. New York.
- Rao, D.S.R.M., H. Singh, B. Singh, O.P.S. Khola and A.S. Faroda. 1990. Correlation and path coefficient analysis of seed yield and its components in sesame (*Sesamum indicum* L.). Haryana Agric. Univ. J. Res. 20: 273-276.
- Reddy, V. L. N., M. S. Reddi, K. R. Reddy, and K. H. Reddy. 2013. Genetic variability for yield and its components in mungbean (*Vigna radiata* (L.) Wilczek). Legume Res. 26(4): 300-302.
- R. H. and Sarker. 2010. Combining ability for yield and yield contributing characters of white jute (*Corchorus capsularis* L.). Indian J. Genet. 30: 263-266.
- Robinson, H. F. 1966. Quantitative genetics in relation to breeding on centennial of Mendalism. Indian J. Genet. 26: 171-187.
- Roy, A., K. Dasgupta, S. Hazari, S. Bhattacharya and A. Das. 2020. Heterosis and Combining Ability for Yield and Yield Attributing Traits in Tossa Jute (*Corchorus olitorius* L.). Current J. of Applied Sci. and Tech. 5: 41-49
- Roy, B. 1965. Studies on correlation and means of yield components in relation to jute breeding. Indian. Agric. 9(2): 107-111.
- Roy, S. and K.K. Ghoshdastidar. 2002. Genetic potentiality of some induced macro mutants of jute (*Corchorus olitorius* L.). J. Interacademia. 6(4): 438-445.
- Roy, S. and K.K. Ghoshdastidar. 2004. Role of induced mutation on the utilization of residual heterosis in jute (*Corchorus olitorius* L.) Indian J. Genet. 64(1): 46-48.
- Roy, S. and K.K. Ghoshdastidar. 2006. Genetic analysis of leaf characters of some induced macro mutants of jute (*Corchorus olitorius* L.) Indian J. Genet. 66(1): 55-56.
- Royle, J. F. 1955. Fibrous plants of India, pp. 240-252.

- Saha, A., D. Kumar and S. L. Basak. 1996. Diallel cross analysis over years for yield and its components in jute (*Corchorus olitorius* L.). Bangladesh J. Bot. 25(1): 59-63.
- Saha, C. K. 1993. Genetic variability in dual purpose lindseed flax. M. S. Thesis submitted to the Rajendra Agric. University, Pusa, Bihar, India. pp.72-75.
- Sandip, S., M. N. Ali and B. G. Sasmal. 2005. Genetic divergence in tossa jute (*Corchorus olitorius* L.). Environment and Ecology. 23(3): 668-670.
- Saradana, S., B. Sasi-Kumer and D. Modak. 1990. Genetic variability, character association and path analysis in jute germplasm. Bangladesh J. Bot., 19: 95-97.
- Sardana, S. and B. S. Kumar. 1990. Genetic variability and path analysis in jute germplasm. Bangladesh J. Bot., 19(1): 95-97.
- Sardana, S., B. Sakikumar and D. Modak. 1990. Genetic variability, character associations and path analysis in jute germplasm. Bangladesh J. Bot. 10(1): 95-97.
- Sasmal, B. 1978. An estimate of genetic divergence in jute. Indian Agric. 22(3): 143 – 150.
- Sasmal, B. and R. K. Biswas. 1991. Diallel analysis of some quantitative characters involving sweet and bitter varieties of *Corchorus capsularis*. Environment and Ecology. 9(1): 8-12.
- Saunders, M. 2001. Recovery plan for the endangered native jute species, *Corchorus cunninghamii* F. Muell in Queensland (2001-2006). Natural Heritage Trust, Australia, pp. 1-29.
- Satyanarayana N. H., V. Visalakshmi, S. Mukherjee and S.K. Roy. 2018. Genetic variability, inter-relationship and path analysis for seed yield and its contributing traits in roselle (*Hibiscus sabdariffa* L.) over six environments. Int. J. Curr. Microbiol. App. Sci. 7(1): 720-732.
- Satyanarayana, N. H., S. Mukherjee, B. Priya and S. Roy. 2015. Genetic variability and Inter-relationship between fibre yield and its components in Roselle (*Hibiscus sabdariffa* L.) in Terai zone of West Bengal. Vegetos., 28(3): 135-140.

- Sawarkar A., S. Yumnam, S.G. Patil and S. Mukherjee. 2015. Genetic Divergence of Tossa Jute (*Corchorus olitorius* L.) for Fibre Yield and its Related Component Characters under Moisture Stress Condition. Indian J. Pl. Genet. Reso. 28(2): 263-266.
- Sengupta, D., S. Nandy, S. Mitra, P. Dutta, M. Sinha, P. C. Kole and S. Chakraborty. 2005. Genetical study on tossa jute (*Corchorus olitorius* L.) for fibre yield and quality parameters. Indian J. Genet. 65(1): 29-32.
- Shah, M. K. N, M. J. Yusuf and B. A. Bukhtiar. 1994. Combining ability studies in jute. Pakistan J. Agril. Res. 32(3): 239-242.
- Sharma, H. K., S. B. Choudhary, A. A. Kumar, R. T. Maruthi & S. Pandey. (2017). Combining ability and heterosis analysis for fibre yield and quality parameters in roselle (*Hibiscus sabdariffa* L.). J. Appl. Nat. Sci. 9(4): 2502-2506.
- Sherestha, V. S. 1991. Genetic variability, correlation and path analysis studies in jute. M. S. Thesis. Rajendra Agril. Univ. Bihar, Pusa, India. pp. 96-98.
- Shewe, W. H., B. R. Murthy, H. B. Singh and V. M. B. Rao. 1972. Genetic divergence in recent elite strains of soybean and groundnut. Indian J. Genet. 32: 285-298.
- Shil, S. and J. Mitra. 2018. JRC 9057 (Ishani): a newly developed white jute (*Corchorus capsularis* L.) variety for enhanced fibre yield and improved quality textile fibre. The Pharma Innov. J. 7(7): 164-167.
- Sikdar, M.F.S. and B. N. Banerjee. 1990. Jute Cultivation in India and Bangladesh: A Comparative Study. 1stEdn. Mittal Publications, New Delhi, ISBN-10: 8170992125, pp. 121.
- Singh, D. P. 1970. Estimation of correlation, heritability and discriminant function in jute (*Corchorus olitorius* L.). Indian J. Heredity. 2(1): 65-68.
- Singh, P. and S.S. Narayanan. 1993. Biometrical techniques in Plant Breeding. Kalyani Publishers, Ludhiana, New Delhi.
- Singh, R. K. and B. P. Chaudhury. 1985. Biometrical Methods in Quantitative Genetic Analysis. Kalyani Publisher, New Delhi.

- Sinha, M. K., A. K. Jana, S. Nandy, S. Mitra, D. Sengupta, P. Dutta and S. M. Palve. 2004. Genetic analysis of dry matter production and nitrogen uptake in jute (*Corchorus olitorius* L.). Indian J. Genet. 64(2): 163-164.
- Sinha, M. K., S. Nandy, S. Mitra, D. Sengupta, P. Dutta, F. Das and S. C. Chakraborty. 2008. Selection for textile quality in tossa jute (*Corchorus olitorius* L.) advanced generations. SABRAO J. Breed. Genet. 40(1):63-68.
- Sinhamahapatra, S. P. and S. C. Rakshit. 1977. Association of plant characters with fibre yield in *olitorius* jute. J. Soc. Expt. Agric. 2(1): 9-12.
- Smith, O.S., J.S.C. Smith., S.L. Bowen, R.A. Tenborg and S.J. Wall. 1990. Similarities among a group of elite maize inbreds as measured by pedigree, F1 grain yield, grain yield heterosis and RFLPs. Theo. Appl. Genet. 80: 833-840.
- Sneller, C.H. 1994. Pedigree analysis of elite soybean lines. Crop Sci. 34: 1515-1522.
- Sobhan, M.A. 1982. Genetic variability and correlation in tossa jute. Bangladesh J. Jute Fib. Res. 7(1-2): 97-101.
- Sobhan, M.A., H.A. Begum and M.R. Islam. 1993. Characterization of introduced jute varieties for yield and quality of fibre. Ann. Rep. Bangladesh Jute Research Institute. pp. 30-35.
- Srivastava, S. K., B. P. Pandey and R. S. Lal. 1979. Combinig ability and generation estimates on a six parent diallel cross in Mesta. Indian J. Agric. Sci. 49: 724-730.
- Sukla, G. K. and D. P. Singh. 1967. Studies on heritability, correlation and discriminate function for selection in jute. Indian J. Genet and Pl. Breed. 27(2): 220-225.
- Sukla, G. K., D. Das and K. Bhattacharya. 1967. Correlation and regression studies on jute. Jute Bull. 30: 229-232.
- Swaminathan, M. S., R. D. Iyer and K. Sulbha. 1961. Morphology, cytology and breeding behaviour of hybrids between *Corchorus olitorius* and *C. capsularis*. Current Sci. 30: 67-68.
- Talukder, F. A. H. and M. A. Rahman. 1989. Jute seed testing: A step towards increase production. BJRI, Bangladesh.

- Talukder, F. A. H. and M. M. Haque. 1992. Genotype X Environmental interaction, heritability, genotypic variation and genetic advance in jute, *C. capsularis* L. Bangladesh J. Jute Fib. Res. 10(2): 211-215.
- Tee T. S. and C. O. Qualset. 1975. Bulk populations in wheat breeding: comparison of single-seed descent and random bulk methods. Euphytica. 24(2): 393-405.
- Thirhamallappa and R. A. Sheriff. 1991. Genetic architecture of yield components in F₂ generation of 10 x 10 diallel set of Roselle (*Hibiscus sabdariffa* L.) Golden jubilee Symposium on Genetic Research and Education, Vol. 11: 570.
- Tomooka, N. 1991. Genetic diversity and landrace differentiation of mungbean, *Vigna radiate* (L) wilczek, and evaluation of its wild relatives (The Subgenus *ceratotropics*) as breeding materials. Tech. Bull. Trop. Res. Center. Japan. No. 28. Ministry of Agriculture Forestry and Fisherish, Japan. p. I.
- Van Beuningen, L.T. and R.H. Bush. 1997. Genetic diversity among North American spring wheat cultivars: III. Cluster analysis based on quantitative morphological traits. Crop Sci. 37: 981-988.
- Van Esbroeck, G.A., D.T. Bowman, O.L. May and D.S. Calhoun. 1999. Genetic similarities indices for ancestral cotton cultivars and their impact on genetic diversity estimates of modern cultivars. Crop Sci. 39: 323-328.
- Verma, M. M. 1970. Adaptation and genetic diversity in some population of soybean (*Glycin max* L. Merrill). Ph.D. Thesis IARI. New Delhi, India.
- Westphal-Stevels, J. 1986. Local vegetables in cameroon: *Corchorus species* used as a vegetable. Acta Horti. 182: 423-426.
- Vieira, E.A., F.I.F., A.C. Carvalho Oliveira, G. Benin, P.D. Zimmer, J.A.G. Silva, A.F. Martins, I. Bertan, G.O. Silva and D.A.M. Schmidt. 2005. Comparison among pedigree, morphological and molecular distance measures in oats (*Avena sativa*) in experiments with and without fungicide (in Portuguese; English summary). Bragantia 64: 51-60.
- Wani, S. H. and S. S. Gosal. 2011. Introduction of OsglyII gene into Indica rice through particle bombardment for increased salinity tolerance. Biol. Plant.

- Williams, W. 1959. Heterosis and genetics of complex characters, *Nature*, 184: 527-530.
- Wray, N. and P. Visscher. 2008. Estimating trait heritability. *Nat. Edu.* 1(1):1-16 and 29.
- Yahiya, A. S. M. 2007. Genetic divergence study of white jute (*Corchorus capsularis* L.). M S Thesis. Dept. of Genetics and plant Breeding. Sher-E-Bangla Agril. Univ; Dhaka. p.79.
- Yassin, T. E. 1973. Genotypic and phenotypic variances and correlation in field beans (*Vicia faba* L.). *Agric. Sci. Camb.* 81:445-448.
- Yusuf, S. 2007. Jute Industry: Present and Future. *The Financial Express*, Oct 20, 2007.
- Zeven, A.C. and R. Schachl. 1989. Groups of bread wheat landraces in the Australian Alps. *Euphytica* 41: 235-246.
- Zeven, A.C. and N.C. Zeven-Hissink. 1976. Genealogies of 14000 wheat varieties. The Netherlands Cereal Centre, Wageningen. Mexico: International Maize and Wheat Improvement Center.
- Zheng, Y. Y., H. R. Lu, Y. J. Wang and J. M. Qi 1985. Correlations between the major economic traits of jute. *Chian's Fibre Crops* 3(5-6): 41.